Fujiwara K, Takahashi M, Masuda T: Effects of molecular weight and monomer composition on tensile properties of thermotropic liquid crystalline poly(*p*-oxybenzoate-co-ethylene terephthalate)s 651
Fujiwara K, Takahashi M, Masuda T: Effect of monomer composition on the rheological properties of poly(*p*-oxybenzoate-co-ethylene terephthalate)s 643
Fukuoka T see Okamoto Y

Gadkari A see Lee HS
Gandini A see Zuen H
Gautier S, Lecourtier J: Structural characterization by ^{13}C NMR of hydrolyzed carboxymethylcellulose 457
Geil PH see Kent S
Georgiev G see Christov L
Gnauck R see Pasch H
Goh SH, Lau WWY, Lee CS: Miscible blends of poly(*N*-vinyl-2-pyrrolidone) with polysulfone and carboxylated polysulfone 319
Goto K see Hirano Y
Gražulevičius J see Brūzga P
Grigoras M, Farcas A, Cianga I, Simionescu CI: Chemical synthesis of polymers containing *N*-ethyl-3.7-phenothiazinediyl groups 139
Grijpma DW see Nijenhuis AJ
Grozeva Z see Borbély J

Hagiwara T, Yanaba N, Takada T, Hamana H, Narita T: Block copolymerization of *N*-phenylmaleimide onto poly(styrene) and poly(butadiene): Synthesis and characterization 503
Hamana H see Hagiwara T
Harabagiu V see Luchian N
Hatada K see Kitayama T
Hatada K see Okamoto Y
Hayashi T see Hirano Y
Helary G, Chevrot C, Sauvet G, Siove A: Electroactive poly(3,6-carbazolediyl) with lateral aminoalkyldisiloxane groups 131
Hirai A, Odani H, Nakajima A: Determination of degree of deacetylation of chitosan by ^1H-NMR spectroscopy 87
Hirano Y, Hayashi T, Goto K, Nakajima A: Synthesis and evaluation of oligopeptide RGDS exhibiting cell-attachment activity 363
Hoffmann T see Fuchs H
Horikawa Y see Inagaki N
Hrudková H, Janout V: Polymeric cosolvents. Cooperation of polymer bound quaternary ammonium groups and *N,N*-dialkylamide groups in activation of the phenoxide anion 31
Hsieh BR: A facile synthesis of poly(phenylene 1,2-diphenylvinylene) 391
Hsu JS see Chen SA
Huanosta A see Cardoso J
Hvilsted S, Andruzzi F, Paci M: Preparation and characterization of comb-shaped polyetsers from 2,2-dioctadecyl-1,3-propanediol and phthalic acids 23

Inagaki N, Tasaka S, Chengfei Z: Preparation of thin films containing sulfonic acid and carboxylic acid groups by plasma polymerization of perfluorobenzene/sulfur dioxide and perfluorobenzene/carbon dioxide mixtures 187
Inagaki N, Tasaka S, Horikawa Y: Durable, hydrophilic surface modification of polypropylene films by plasma graft polymerization of glycidyl methacrylate 283
Inoue MM, Brown F, Muñoz IC, Ofelia Muñoz F: Polymerization of anilines by the use of copper(II) perchlorate as an oxidative coulping agent 403
Ioan S, Bercea M, Simionescu BC, Simionescu CI: Chain conformation and viscometric behaviour of high molecular weight polystyrene in solvent/nonsolvent mixtures 117

Jandt KD see Fuchs H
Janevski A, Leben S, Šebenik A, Osredkar U: The correlation between electrical properties and structure of substituted polyacetylenes 473
Janout V see Hrudková H
Jezierska J, Kozlowski H, Kolarz BN, Trochimczuk A: Electron paramagnetic resonance evidence for direct co-ordination of copper(II) ions by acrylic resins containing amine groups 231

Karayannidis G see Christov L
Karger-Kocsis J: Environmental stress corrosion behavior of polyamides and their composites with short glass fiber and glass swirl mat. A comparison 123
Katime I, Anasagasti M, Rivas I, Valenciano R: Preferential sorption of polyvinylpyrrolidone (PVP) in the binary solvent mixture water/DMF 567
Kausch CM see Rodrigues K
Kavaliūnas R see Brūzga P
Kelen T see Borbély J
Kelen T see Zsuga M
Kempf S see Magonov SN
Kennedy JP see Lee HS
Kennedy JP see Pernecker T
Kent S, Geil PH: Chain folding in single crystals and sheared ("fiber") samples of a liquid crystal polymer 579
Kim J see Rodrigues K
Kim WY, Lee DS: Morphology and mechanical properties of the polycarbonate/poly(styrene-co-acrylonitrile) blend containing poly(ε-caprolactone) 701
Kimmig M see Magonov SN
Kitayama T, Fujimoto N, Hatada K: Stereocomplex formation between *isotactic* PMMA and *syndiotactic* polymers of methacrylates of straight-chain alcohols 629
Kitayama T, Nishiura T, Hatada K: PMMA-*block*-polyisobutylene-*block*-PMMA prepared with α,ω-dilithiated polyisobutylene and its characterization 513
Klosinski P see Basko M
Kokufuta E, Nishimura H: Complexation of pepsin poly(ethylene glycol) 277
Kolarz BN see Jezierska J
Kolli M see Monthéard JP
Konsulov VB see Borbély J
Kozlowski H see Jezierska J
Kryszewski M see Uznański P
Kubisa P see Basko M
Kublickas R see Brūzga P
Kunz M see Stocker W
Kyu T see Lee HS

Lalot T, Brigodiot M, Marechal E: Lipozyme-catalyzed transesterification of oligo(methylacrylate)s 55
Larez V Cristobal J, Perdomo Mendoza Gilberto A: Unsaturated polyester. 4. Polyester from maleic anhydride and 1,5-pentanediol 313
Lau WWY see Goh SH
Laurent C see Liao XG
Leben S see Janevski A
Lecourtier J see Gautier S
Lee CS see Goh SH
Lee DS see Kim WY
Lee HS, Kyu T, Gadkari A, Kennedy JP: Single-phase bicomponent network by random crosslinking of hydroxyl-terminated polyisobutylene/polytetrahydrofuran mixtures 689
Lee M see Percec V
Leibfried T see Liao X
Li HY see Sun ZH
Liao X, Weber WP, Mazerolles P, Laurent C, Faucher A: Synthesis and characterization of poly([3,4,*c*]furano-1-germa-1,1-dimethylcyclopentane) 499
Liao X, Leibfried T, Weber WP: Anionic ring opening polymerization of 1-phenyl-1-vinyl-1-silacyclopent-3-ene. Synthesis and characterization of poly(1-phenyl-1-vinyl-1-sila-*cis*-pent-3-ene) 625

Libiszowski J see Basko M
Llorente MA see Andrady AL
Lotz B, Wittmann JC, Stocker W, Magonov SN, Cantow HJ: Atomic force microscopy on epitaxially crystallized isotactic polypropylene 209
Luchian N, Săcărescu L, Rugină T, Harabagiu V, Cotzur C: Cyclic organosilicon compounds. Reaction of 1,4-dilithium-1,1,4,4-tetraphenylbutane with organodichlorosilanes 47
Lucotte G, Delfort B: 1,2-bis(3-propargyloxyphenoxy)ethane. Synthesis and polymerization 1
Lucotte G see Cormier L
Lucotte G, Delfort B: 1,3-bis(4-ethynylbenzoyl)benzene. Synthesis and polymerization 7

Macosko CW see Scott CE
Magonov SN see Lotz B
Magonov SN, Bar G, Cantow HJ, Bauer HD, Müller I, Schwoerer M: Atomic force microscopy on polymers and polymer-related compounds. 3.Monocrystals of monomer and polymer 2,4-hexadiynylene bis(*p*-fluorobenzenesulfonate) 223
Magonov SN, Kempf S, Kimmig M, Cantow HJ: Atomic force microscopy on polymers and polymer related compounds. 4.Polytetra-fluoroethylene and polycarbonate 715
Magonov SN see Stocker W
Majumdar A, Biswas M: Polymer anchored metal complexes. I. Synthesis of 3d-metal complexes of pyromellitic dianhydride-bipyridyl/bipyridylamine polycondensates 145
Majumdar A, Biswas M: Polymer anchored metal complexes. II. Thermal stability, dielectric and conductivity characteristics of 3d-metal complexes of pyromellitic dianhydride-bipyridyl and bipyridylamine polycondensates 151
Makino K, Tsuda K, Takaki M: Preparation of soluble $TiCl_3$ catalysts by reduction of $TiCl_4$ with Grignard reagents and their use for copolymerization of ethylene with propylene 371
Malik TM: Morphological and mechanical studies of surface-treated mica-reinforced high density polyethylene 709
Manero O see Cardoso J
Marchessault RH see Nedea ME
Marechal E see Lalot T
Mark JE see Andrady AL
Maschke G see Pasch H
Masuda T see Fujiwara K
Matějka L: Rheology of epoxy networks near the gel point 109
Mathew B, Pillai VNR: Divinylbenzene-crosslinked polyacrylamide-supported dithiocarbamates as metal complexing agents 603
Matsumoto A see Otsu T
Matsuyama T see Asanuma T
Mattice WL see Rodrigues K
Mazerolles P see Liao XG
Mehta S, Deopura BL: Thermal properties of blends of poly(ethylene terephthalate) and a liquid crystalline copolyester 571
Meijs GF, Rizzardo E: Thiohydroxamic esters – A new class of polymerization regulators 291
Miura H see Yamada B
Möller M see Stocker W
Monthéard JP, Vergnaud JM, Kolli M: Schiff bases of polyvinylbenzaldehyde and chemical release of amines 199
Morin FG see Nedea ME
Mou Y see Wu SK
Müller I see Magonov SN
Muñoz IC see Inoue MM

Nakajima A see Hirai A
Nakajima A see Hirano Y
Nakano T see Okamoto Y
Narita T see Hagiwara T
Nedea ME, Morin FG, Marchessault RH: Microstructure of bacterial poly(β-hydroxybutyrate-co-β-hydroxyvalerate) by FAB mass spectrometry 549
Ni JM see Chen SA
Nijenhuis AJ, Grijpma DW, Pennings AJ: Highly crystalline as-polymerized poly(L-lactide) 71
Nishimura H see Kokufuta E
Nishiura T see Kitayama T
Nyk A see Basko M

Odani H see Hirai A
Ofelia Muñoz F see Inoue MM
Okamoto Y, Nakano T, Fukuoka T, Hatada K: Asymmetric polymerization of cyclopropyldiphenylmethyl and cyclohexyldiphenylmethyl methacrylates and stereomutation of the polymers 259
Oliveira CMF, Andrade CT, Delpech MC: Properties of poly(methyl methacrylate-g-propylene oxide) in solution 657
Osredkar U see Janevski A
Otsu T, Yoshioka M, Matsumoto A, Shiraishi K: Synthesis of high molecular weight poly(dialkyl fumarate)s bearing *n*-alkyl side chains from poly(di-*tert*-butyl fumarate) via olefin elimination and reesterification in a one-pot 159
Otsu T see Yamada B
Otsu T see Yang JZ
Özden B, Akovali G: Plasma polymerization and copolymerization of styrene and methylmethacrylate. I. Plasma initiated polymerization studies 409

Paci M see Hvilsted S
Pasch H, Maschke G, v.Lampe I, Gnauck R: Analysis of poly(chlorophenyl methacrylates) by ultraviolet spectroscopy 79
Pasch H see Al-Mobasher A
Penczek S see Basko M
Pennings AJ see Nijenhuis AJ
Percec V, Wang CS, Lee M: Molecular engineering of liquid crystal polymers by living polymerization. 12. Synthesis and living cationic polymerization of 4-[S(-)-2-methyl-1-butoxy]-4′-(ω-oxyalkyl-1-vinyl ether)-α-methylstilbene with octyl and hexyl alkyl groups 15
Perdomo Mendoza Gilberto A see Larez V Cristobal J
Pereira L see Ameduri B
Pernecker T, Kennedy JP: Living carbocationic polymerization. XLVI. Living isobutylene polymerization induced by the common ion effect 305
Petermann J see Fuchs H
Pillai VNR see Mathew B
Plummer HK Jr see Cheung MF
Prud'homme RE see Zhao Y

Quirk RP see Rodrigues K

Rabek JF see Wu SK
Rasoul FA see Al-Mobasher A
Retamal CC see Cárdenas GT
Rivas I see Katime I
Rizzardo E see Meijs GF
Robin JJ see Bougherara C
Robin JJ see Boutevin B
Rodrigo MM see Tarazona MP
Rodrigues K, Kausch CM, Kim J, Quirk RP, Mattice WL: On the location of the free ends of the insoluble block in micelles formed by diblock copolymers 695
Rodriguez-Baeza M: Poly(oxymethylene) crystals grown in the polymerization of trioxane initiated with perchloric acid in nitrobenzene 521
Rugină T see Luchian N
Ruvolo Filho A see Vittoria V

Săcărescu L see Luchian N
Saegusa T see Chujo Y
Saiz E see Tarazona MP
Sales MJA, Vieira VW, de Barros GG: Sorption and thermal polymerization of vinyl monomers in low density polyethylene-iron (III) oxide composite. Mössbauer studies 665
Sander R see Fuchs H
Santa Maria LC see Coutinho FMB
Sauvet G see Helary G
Schwoerer M see Magonov SN
Scott CE, Macosko CW: Model experiments concerning morphology development during the initial stages of polymer blending 341
Shiraishi K see Otsu T
Shuhaibar KF see Al-Mobasher A
Sideridou-Karayannidou I see Christov L
Simionescu BC see Ioan S
Simionescu CI see Grigoras M
Simionescu CI see Ioan S
Siove A see Helary G
Stocker W, Bar G, Kunz M, Möller M, Magonov SN, Cantow HJ: Atomic force microscopy on polymers and polymer-related compounds. 2. Monocrystals of normal and cyclic alkanes $C_{33}H_{68}$, $C_{36}H_{74}$, $(CH_2)_{48}$, $(CH_2)_{72}$ 215
Stocker W see Lotz B
Stonich DA, Weber WP: Synthesis and characterization of poly[(2-trimethylsilyl-2-cyclopentene-1,4-diyl)vinylene] 493
Sun ZH, Li HY, Zhuang Y, Ding MX, Feng Z: Study on structure-property relationship of polyimide blends. I. A dynamic mechanical study of the miscibility of polyimide/polyimide blends 557
Sundholm F see Tenhu H

Takada T see Hagiwara T
Takahashi M see Fujiwara K
Takaki M see Makino K
Tarazona MP, Bravo J, Rodrigo MM, Saiz E: Characterization of poly(diethoxyphosphazene) by size exclusion chromatography and viscometry 465
Tasaka S see Inagaki N
Tenhu H, Sundholm F: Aliphatic chain motion in a poly(alkylene terephthalate) 237
Tinoco AG see Akcelrud L
Tomita I see Chujo Y
Trochimczuk A see Jezierska J
Trumbo DL: Michael addition polymers from bisacetoacetates. II. 2,2-Dimethyl-1,3-bis(acetoacetyl)-propanediol and *N,N'*- bis(acetoacetyl)-1,4-piperazine 481
Trumbo DL: Michael addition polymers from 1,4 and 1,3 benzenedimethanol diacetoacetates and tripropylene glycol diacrylate 265
Trumbo DL: The copolymerization of 2- and 3-vinyl thiophene with α-methylene-γ-butyrolactone 271
Tsuda K see Makino K
Tunca U, Yagci Y: The synthesis of poly(methyl methacrylate) containing crown ether units using macroazoinitiators and its cation binding properties 621

Uznański P, Kryszewski M: Photochromism of 6-nitrospiropyran in oriented polyethylene 437

v. Lampe I see Pasch H
Valenciano R see Katime I
Varvoglis A see Christov L
Vergnaud JM see Montheard JP
Vieira VW see Sales MJA
Visconte LLY, Andrade CT, Azuma C: Kinetic treatment for the photodimerization reaction of modified natural polyisoprenes 637
Vittoria V, Ruvolo Filho A, de Candia F: Vapour-induced ordering phenomena in syndiotactic polystyrene amorphous films 445

Wang CS see Percec V
Wang J see Wu WB
Weber WP see Liao X
Weber WP see Stonich DA
Weber WP see Young-Hoon K
Wittmann JC see Lotz B
Wu WB, Wang J: A universal mathematical expression for multi-phase X-ray diffraction in several polymers 595
Wu SK, Chang YF, Mou Y, Rabek JF: A new possibility of photostabilization of polymers by keto-enol tautomerism of some β-dicarbonyls with fluoro ($-CF_3$) group 423

Yagci Y see Tunca U
Yamada B, Yoshikawa E, Miura H, Otsu T: Contribution of primary radical termination to radical polymerization of diethyl fumarate estimated from absolute rate constants 543
Yanaba N see Hagiwara T
Yang JZ, Otsu T: Terpolymerization behavior of citraconic anhydide, styrene, and isobutyl vinyl ether 509
Yoshikawa E see Yamada B
Yoshioka M see Otsu T
Young-Hoon K, Weber WP: Synthesis and characterization of poly(3,4-benzo-1-phenyl-1-silapentene) and poly(3,4-benzo-1-silapentene) 487

Zhao Y, Prud'homme RE: A nonradiative energy transfer fluorescence spectroscopy study of poly(vinyl chloride)/poly(methylmethacrylate) blends 101
Zhuang Y see Sun ZH
Zsuga M, Kelen T, Borbély J: Investigation of the mechanism of living cationic polymerization of isobutylene by B^{11} NMR spectroscopy 417
Zuen H, Gandini A: Crystalline furanic polyisocyanates 383

Indexed in *Current Contents*

Subject Index Volume 26 (1991)

Acetoacetate esters 265
Acetoacetylation 265
Acrylic resins with amine groups, co-ordination of Cu(II)ions 231
Acrylonitrile, colloid polymer 611
Addition-fragmentation sequences 291
Adhesives, pressure-sensitive 681
AFM see Atomic force microscopy
Alkanes, monocrystals of normal and cyclic 215
Alkenylsilane 205

Anilines, polymerization 403
Anionic ring opening polymerization 625
Argon plasma 283
Atomic force microscopy 209, 215, 223, 715
– – –, 2,4-hexadiynylene bis(*p*-fluorobenzenesulfonate) 223
– – –, monocrystals of normal and cyclic alkanes 215
– – –, polycarbonate 715
– – –, polypropylene 209
– – –, polytetrafluoroethylene 715

Benzenedimethanol diacetoacetates 265
Bisacetoacetates, Michael addition polymers 481
Bisacetoacetyl esters/amides 481
1,3-Bis(4-ethynylbenzoyl)benzene 7
1,2-Bis(3-propargyloxyphenoxy)ethane 1
Blend miscibility 101
– morphology 341
Block copolymerization 503
n-Butyllithium 63

Carbazolic structure 131
Carbazolyl-containing epoxides 193
Carbocationic polymerization, living 305
Carbosilane polymer systems 487
Carboxymethylcellulose, hydrolysed, ^{13}C NMR 457
Catalysts, lactone polymerization 71
–, Lewis base additives 535
–, polymeric 31
Cell-attachment activity, RGDS oligopeptide 363
Cellulose acetate membranes, sulfonamide release 529
Chain transfer agent 291
Charge-transfer complexes 509
Chiral anionic initiators 259
Chitin, deacetylation 87
Chitosan, deacetylation 87
Chlorodiarylphosphines 63
Chlorophenyl methacrylates 79
Citraconic anhydride/styrene/isobutyl vinyl ether 509
Coatings, novel polymer 297
Common ion effect 305
Complexation, pepsin with poly(ethylene glycol) 277
Conductivity, dielectric 151
–, electrical 131, 139, 391, 403, 473
–, polymer-salt systems 565
–, polythiophenes 673
Cosmetics, photoageing 423
Cosolvents, polymeric 31
Crown ethers in poly(methyl methacrylate) 621
Cupric salt catalysis, 1,2-bis(3-propargyloxyphenoxy)-ethane 1
Curing processes, novel coatings 297
Cyclodoheptacontane 215
Cyclohexyldiphenylmethyl methacrylates 259
Cyclooctatetracontane 215
Cyclopropyldiphenylmethyl methacrylates 259

Deacetylation, chitosan/chitin 87
DGEDA/poly(oxypropylene)diamine 109
Di-*tert*-butyl fumarate 159
Diacetoacetate esters 265
Diacrylates, α-ω telechelic 177
Dialkyl fumarates 159
N,N-Dialkylamide groups 31
1,8-Diazabicyclo[5.4.0]undec-7-ene 265
Dibenzofuran 395
Diblock copolymers, micelle insoluble block 695
β-Dicarbonyl compounds, keto-enol conversion 423
α,α-Dichloromethyl methyl ether 165
Diethyl fumarate, radical polymerization 543
Diisocyanate, monodisperse macromolecular 177
Diisopropyl fumarate 159
1,4-Dilithium-1,1,4,4-tetraphenylbutane 47

Dimethacrylates 177
2,2-Dimethyl-1,3-bis(acetoacetyl propanediol) 481
2,2-Dioctadecyl-1,3-propanediol 23
Diolefin, hydroboration polymerization 165
Dipropargyl ether monomer 1
Dithiocarbamates, divinylbenzene-crosslinked polyacrylamides 603
Dithiols, telechelic monodispersed 377
Divinylbenzene-crosslinked polyacrylamides 603
Drilling fluid 457
Drug release from polymer systems 529
Drug-polymer conjugates 529
Dynamic mechanical properties, poly(dimethylsiloxane) 357

Elastomeric networks 357
Electrochemical synthesis 131, 139
Electroconductive materials 131, 139, 391, 403, 473
Electroluminescence 391
Electrophotography 193
Environmental stress corrosion cracking 123
Epoxides, heats of polymerization of carbazolyl-substituted 193
Epoxy networks, rheology near gel point 109
ESC, polyamides and composites 123
Etherification, phase transfer catalyzed 1
N-Ethyl-3.7-phenothiazineediyl 139
Ethylene/1-hexene copolymer, comonomer sequence distribution 325
Ethylene/propylene copolymerization 371
Ethynyl groups 7

FAB-MS, poly(β-hydroxybutyrate-co-β-hydroxyvalerate) 549
Ferromagnetism 245
Ferromagnets, organic 245
Fibronectin 363
Films, electro-oxidation of solution-cast 131
–, modified natural polyisoprenes 637
–, organic 95
–, syndiotactic polystyrene amorphous 445
–, thin 187
Fracture morphology 349
Free radical polymerization 291
Fumarates, poly(dialkyl- 159
2-Furfuryl isocyanate 383
2-Furyl isocyanate 383

Gel point 109
Germanium-containing polymers 499
Glass fiber mat 123
Glycidyl methacrylate, plasma graft polymerization 283
Glycoproteins, noncollagenous 363
Gordon-Taylor equation 319
Graftcopolymerization, PVC 39
Graftpolymerization, plasma 283
Graphite-reinforced composites 395

Halophenyl methacrylates 79
HDPE, mica-reinforced 709
Helix-helix transition 259
2,4-Hexadiynylene bis(*p*-fluorobenzenesulfonate), AFM 223
n-Hexatriacontane 215
Hydroboration polymerization, organoboron polymers 165
N-Hydroxy-4-methylthiazole-2(3H)-thione derivatives 291
N-Hydroxypyridine-2-thione derivatives 291

Imaging systems, curing processes 297
Initiators, polyvalent iodine compounds 617

Inorganic fiber reinforcement, mica in HDPE 709
Inverse-NMR technique 451
Iodine compound initiators, polyvalent 617
Ion effect, common, living isobutylene polymerization 305
Ionomers, polyurethane 429
Isobutylene, living cationic polymerization, ^{11}B-NMR 417
–, living polymerization 305
Isocyanates, organic 383

L-Lactide polymerization 71
Lactone polymerization catalysts 71
Lamellar single crystals, chain folding 579
Laminin 363
Lipozyme, oligo(methylacrylate)s 55
Liquid crystal copolyester, thermotropic 571
Liquid crystalline polymers 15, 579, 643, 651
– – –, molecular engineering 15
– – –, poly(*p*-oxybenzoate-co-ethylene terephthalate)s 643, 651
Living carbocationic polymerization 305
– cationic polymerization 15, 417
– – –, isobutylene 417

Maleimides, *N*-substituted 253
Membrane-drug systems 529
Membranes, cellulose acetate 529
Metal colloids, polyacrylonitriles 611
– complexes, polymer anchored 145, 151
4-[S(-)-2-Methyl-1-butoxy]-4′-(ω-oxyalkyl-1-vinyl ether)-α-methylstilbene 15
Methyl methacrylate 79,253
– –/2-(dimethylamino)ethyl methacrylate 617
– –/styrene, plasma polymerization 409
N-Methyl-2-pyrrolidone 31
Michael addition polymers 265, 481
– – –, bisacetoacetates 481
MMA/N4BrPhMI 253
Model networks 357
Morphology development, polymer blending 341
–, fracture 349
Mössbauer spectroscopy, vinyl monomers 665
Multiphase X-ray diffraction 595

Networks, uni-/bimodal 357
o-Nitrobenzyl tosylate 297
Nitrospiropyran, photochromism in oriented polyethylene 437
NMR, inverse 451
Nonradiative energy transfer fluorescence spectroscopy 101

Oil-well drilling 457
Olefin monomers, homopolymerization 371
Oligo(methylacrylate)s 55
Organic films 95
Organoboron polymers, hydroboration polymerization 165
Organodichlorosilanes 47
Organosilacycloalkanes 47
Organosilicon compounds, cyclic 47
Osteosynthetic devices, biodegradable 71

PC/SAN, poly(ε-caprolactone) 701
PEG 277
Pepsin poly(ethylene glycol), complexation 277
Perfluorobenzene/SO_2 or CO_2, plasma polymerization 187
Phenoxide anion 31
1-Phenyl-1-vinyl-1-silacyclopent-3-ene 625
1-Phenylbutane-1,3-dione(benzoyl-acetone) 423
N-Phenylmaleimide 503
Phosphazenes, polyorgano- 465
Phosphines 63
Phosphorus end-capping, vinyl anionic polymerization 63
Photo-enolization 423
Photoconductivity 131, 193, 391
Photodimerization, modified natural polyisoprenes 637
Photography, silverless 197
Photoisomerization, keto-enol 423
Photosensitive groups 637
Photostabilization, keto-enol tautomerism 423
Phthalic acids, comb-shaped polyesters 23
Plasma graft polymerization 283
– polymerization, perfluorobenzene/SO_2 or CO_2 187
– –, styrene/methyl methacrylate 409
PMDA-DP (DPA)-M 145
PMMA, anthracene-labeled 101
– /polyisobutylene/PMMA, triblock copolymer 513
Polyacetylenes, electrical properties of substituted 473
–, triphenylmethyl radicals 245
Polyacrylamides, divinylbenzene-crosslinked 603
Polyacrylonitriles, metal 611
Polyalcohols 165
Polyalkylaniline perchlorates, oxidative coupling polym 403
Polyalkylene terephthalate, aliphatic chain motion 237
Polyamide, amine terminated poly(urethane-urea) oligomers 169
Polyamide-4,6, inverse-NMR techniques 451
Polyamides, ESC 123
Polyaniline, electroconducting 403
Polyarylene ether ketones 395
– – sulfones 395
Poly-3,4-benzo-1-phenyl-1-silapentene 487
Poly-3,4-benzo-1-silapentene 487
Polybutadiene 503
–, hydroxylated liquid 333
Poly-1-butene surfaces, scanning tunneling microscopy 95
Poly-3-butylthiophene, $FeCl_3$-doped 673
Poly-ε-caprolactone, PC/SAN 701
Poly-3,6-carbazolediyl, electroactive 131
Polycarbogermanes 499
Polycarbonate/poly(styrene-co-acrylonitrile) 701
Polycarbonate, AFM 715
Polycarbosilanes 487
Polychlorophenyl methacrylates, UV spectroscopy 79
Polycondensation, pyromellitic dianhydride dipyridyl/dipyridylamine 145, 151
Polydecamethylene terephthalate 237
Polydialkyl fumarates 159
Polydichlorophosphazene 465
Polydiethoxyphosphazene, size exclusion chromatography 465
Polydimethylsiloxane, uni-/bimodal networks 357
Polydi*tert*-butyl fumarate 159
Poly-3-dodecylthiophene, $FeCl_3$-doped 673
Polyesterification 313
Polyesters, comb-shaped 23
–, liquid crystalline 237
–, maleic anhydride/1,5-pentanediol 313
–, terephthalic acid/aliphatic diols 237
–, unsaturated 313
Polyether ketones 395
Polyethers, carbazolyl-substituted 193
–, photoconductive 193
Polyethyl oxazoline 319
Polyethylene, linear low density 325
–, mica-reinforced high-density 709
–, photochromism of 6-nitrospiropyran in oriented 437
–, stretched low density 437
Polyethylene glycol 277
Polyethylene terephthalate/LC copolyester 571
Poly-*N*-ethyl-3.7-phenothiazinediyl 139
Poly-4-ethynylphenyldiphenylmethyl 245
Polyfumaric acid 159
Poly[3,4,*c*]furano-1-germa-1,1-dimethylcyclopentane 499
Polygermanes 499

Polygermoxanes 499
Polyhalophenylacetylenes 473
Poly-β-hydroxybutyrate-co-β-hydroxyvalerate, FAB-MS 549
Polyimide blends, structure-property relationship 557
Polyisobutylene, α,ω-dilithiated 513
– /polytetrahydrofuran, hydroxyl-terminated 689
Polyisobutylenes 181
Polyisocyanates, crystalline furanic 383
Polyisoprene, natural, photodimerization 637
– photodegradation 423
Poly-L-lactide, highly crystalline as-polymerized 71
Polymaleimides 253
Polymer blending, morphology development 341
– coatings, cationic curing 297
–, optically active 259
– /salt systems 565
Polymeric catalysts 31
Polymerization regulators, thiohydroxamic esters 291
Polymethacrylates, helical 259
Polymethyl methacrylate, crown ether units 621
– methacrylate-g-propylene oxide 657
– methacrylate-co-*N*-4-bromophenyl maleimide 253
Polyorganophosphazenes 465
Poly-*p*-oxybenzoate-co-ethylene terephthalates 643, 651
Polyoxymethylene (POM), trioxane/perchloric acid 521
Polyphenylacetylenes 473
Polyphenylene sulfide 349
Poly-*p*-phenylene vinylene 391
Polyphenylene-1,2-diphenylvinylene 391
Polypropylene, epitaxially crystallized isotactic, AFM 209
– films, plasma graft polymerization 283
Poly-1-phenyl-1-vinyl-1-sila-*cis*-pent-3-ene 625
Polypyrrole 139
Polyradicals, conjugated 245
Polystyrene, high molecular weight, solvent/nonsolvent mix 117
–, *N*-phenylmaleimide 503
–, syndiotactic amorphous films 445
– /polyoxyethylene, micelles 695
Polystyrene-98-co-divinylbenzene-2 31
Polysulfobetaine polymers, polymer-salt systems 565
Polysulfones 319, 349, 395
–, carboxylated 319
–, injection molded 349
– /polyphenylene sulfide,tensile fracture morpholgy 349
Polytetrafluoroethylene, AFM 715
Polythiophene 139
Poly[(2-trimethylsilyl-2-cyclopentene-1,4-diyl)vinylene] 493
Polyurethane anionomer, quaternary ammonium ion-based 429
– /urea/amide block copolymers 169
Polyurethanes, ionomers 429
–, monodisperse diol 177
Polyvinyl chloride/polymethyl methacrylate blends 101
Polyvinylbenzaldehyde, Schiff bases 199
Polyvinylpyrrolidone, water/DMF 587
Poly-*N*-vinyl-2-pyrrolidone 319
PPV-DP 391
Propargyl ether 1
Propylene polymerization, $TiCl_3$/$AlClEt_2$ 535
– /vinylsilane copolymer, radiation crosslinking 205
Protease, gastric 277
Proteins, complexation 277
Pseudocrownethers 31
PVC, graft-copolymerization 39
–, naphthalene-labeled 101
– /i-PMMA 101
Pyrolytic graphite, highly oriented 95
Pyromellitic dianhydride dipyridyl/dipyridylamine 145, 151

RGDS oligopeptide 363
Ring opening metathesis polymerization, cyclic olefins 493

Scanning electron microscopy 341, 349
Scanning tunneling microscopy 95, 209
– – –, poly(1-butene) 95
Si-copolymers 205
Silacyclopentenes 487
Silicone release coatings, recrystallization 681
Siloxane bond containing materials, polymeric 47
Single crystals, chain folding 579
Solvent/nonsolvent mixtures, polystyrene 117
Stereocomplex formation, *iso*-PMMA/*syn*-PMA 629
Styrene/methyl methacrylate, plasma polymerization 409
Surface modification of polymers 283
– structures, STM/AFM 209, 215, 223
Syndiotactic polystyrene 445

Telechelic polymers, monodisperse 177
Thermoplastic polymers 169
Thermoset materials 7
Thin films, sulfonic/carboxylic acid 187
Thiohydroxamic esters, polymerization regulators 291
$TiCl_3$ catalysts, soluble 371
Tin(II)-bis(2,4-pentanedionato-*O,O'*) 71
Titanium catalysts 371
p-Toluenesulfonic acid 297, 313
Transesterification, lipozyme-catalyzed 55
Trialkylborane 165
Triblock copolymer, PMMA-*block*-PIB-*block*-PMMA 513
Trioxane/perchloric acid in nitrobenzene 521
Triphenylmethyl methacrylates 259
Tripropylene glycol diacrylate 265
n-Tritriacontane 215

Ultrafiltration, synthetic membranes 319
α-8,51-Unsaturated oligomers, dihydroxylated 181
UV absorbers 39

Vinyl anionic polymerization, phosphorus end-capping 63
– monomers, polyethylene-iron (III) oxide 665
– silanes 493
– thiophene/α-methylene-γ-butyrolactone, 2- and 3- 271
Vinylbenzaldehyde 199
Vinylsilane 205
Vitronectin 363

Winstein spectrum 305

X-ray diffraction of three phases, transcendental function 595

Ziegler-Natta catalysts, Lewis base additives 535
Zinc-bis(2,2-dimethyl-3,5-heptanedionato-*O,O'*) 71